PERUSAHAAN GETAH ASAS SDN. BHD. (89708-V)

Safety Data Sheet

Section 1: Identification

Product

Non-sterile, Ambidextrous, Single Use, Full Textured surface, On-line Single Chlorination, Powder Free, Natural Rubber Latex Exam Gloves.

Intended use

A powder free latex examination glove is a disposable glove made of natural rubber latex that intended to wear on the hands for medical examination to provide a barrier against cross contamination and other contaminants.

Manufacturer: Perusahaan Getah Asas Sdn Bhd,

Address : Lot 1365, Batu 17, Jalan Sungai Sembilang,

45800 Jeram, Selangor, Malaysia

Tel. : +603-3264 0787 Fax : +603-3264 0644

Section 2: Hazard(s) Identification

- 1) Biological hazards
 - Bio-contamination.
 - Toxicity.
- 2) Environmental hazards
 - Improper environmental conditions.
 - Improper physical properties.
 - Contamination.
 - Incorrect formulation (chemical composition).
 - Incorrect dipping parameters.
- 3) Hazards related to the use of the medical device
 - Inadequate labeling.
 - Insufficient warning of side effects.
 - Re-use of the non-sterile single use medical glove, leading to
 - i Loss of product lot traceability
 - ii Risk of cross-contamination due to improper cleaning process.
 - iii Increased risk of holes and tears, loss of glove integrity during re-use due to the glove damaged by the cleaning process.

Section 3: Composition/Information on Ingredients

Natural Rubber Latex, Sulphur, Accelerator, Zinc Oxide, Titanium Dioxide, Potassium Hydroxide.

PERUSAHAAN GETAH ASAS SDN. BHD. (89708-V)

Section 4: First-Aid Measures

None

Section 5: Fire-Fighting Measures

Extinguishing media: Foam, Carbon Dioxide and Water

Flash point: N/A

Section 6: Accidental Release Measures

N/A

Section 7: Handling and Storage

- The product should be stored in a cool dry place avoiding exposure to direct sunlight, high temperature and humidity.
- After the package is open, direct sunlight, fluorescent lighting, and devices generating ozone should be avoided, and the product should be kept away from X-ray apparatus.

Section 8: Exposure Controls/Personal Protection

None

Section 9: Physical and Chemical Properties

1) Feature

Non Sterile, Ambidextrous, Single Use, Beaded Cuff, Full Textured Surface, On-line Single Chlorination, Powder Free, Natural Rubber Latex Examination Gloves.

2) Color

Natural Latex White.

Section 10: Stability and Reactivity

Stability

: Stable

Condition to avoid

: None

Incompatible Material: None

Section 11: Toxicological Information

Animal safety test for potential skin irritation and delayed skin sensitization showed that the glove is neither a skin irritant nor potential skin sensitizer. Glove extract dilution did not caused cell lyses.

PERUSAHAAN GETAH ASAS SDN. BHD. (89708-V)

Section 12: Ecological Information* (non-mandatory)

Section 13: Disposal Considerations* (non-mandatory)

The gloves are biodegradable product where no special decommissioning or disposal is required

Section 14: Transport Information* (non-mandatory)

Section 15: Regulatory Information* (non-mandatory)

Section 16: Other Information

Date of preparation: 4th June 2014

^{*}Note: Since other Agencies regulate this information, OSHA will not be enforcing Sections 12 through 15(29 CFR 1910.1200(g)(2)).