

**Safety Data Sheet  
acc. to OSHA HCS**

Printing date 12/10/2015

Reviewed on 12/10/2015

## 1 Identification

- **Product identifier**

- **Trade name:** **Flexitime Xtreme 2 Heavy Tray / Dynamix Heavy Tray / Correct Flow**

- **Application of the substance / the mixture** Dental impression material

- **Details of the supplier of the safety data sheet**

- **Manufacturer/Supplier:**

- Heraeus Kulzer GmbH  
Grüner Weg 11, D-63450 Hanau

Tel.: 0800 4372522

- **Information department:**

- Tel. +1 (800) 431-1785 Fax: +1 (800) 522-1545  
e-mail: customer.servicehka@kulzer-dental.com

- **Emergency telephone number:**

- Emergency CONTACT (24-Hour-Number)  
GBK/Infotrac ID 105860: (domestic) 1 800 535 5053 or international (001) 352 323 3500

## 2 Hazard(s) identification

- **Classification of the substance or mixture**

Flam. Liq. 4 H227 Combustible liquid.

- **Label elements**

- **GHS label elements**

- The product is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms** Void

- **Signal word** Warning

- **Hazard statements**

- Combustible liquid.

- **Precautionary statements**

- Keep away from flames and hot surfaces. – No smoking.

- Wear protective gloves / eye protection / face protection.

- In case of fire: Use for extinction: CO2, powder or water spray.

- Store in a well-ventilated place. Keep cool.

- Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Classification system**

- **NFPA ratings for USA (scale 0-4)**



Health = 0  
Fire = 2  
Reactivity = 0

- **HMIS-Ratings (Scale 0-4)**



Health = 0  
Fire = 2  
Reactivity = 0

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

USA

(Contd. on page 2)

**Safety Data Sheet  
acc. to OSHA HCS**

Printing date 12/10/2015

Reviewed on 12/10/2015

**Trade name: Flexitime Xtreme 2 Heavy Tray / Dynamix Heavy Tray / Correct Flow**

(Contd. of page 1)

### 3 Composition/information on ingredients

· **Chemical characterization: Mixtures**

· **Description:**

2-component silicone impression material comprising base paste and matching catalyst paste for addition curing

· **Dangerous components:**

68037-59-2	Methylhydrogensiloxandimethylsiloxan-Copolymer Flam. Liq. 4, H227	10-25%
27306-78-1	modified heptamethyltrisiloxane with polyalkylene oxide Acute Tox. 4, H332; Eye Irrit. 2A, H319	0-5%

### 4 First-aid measures

· **Description of first aid measures**

· **General information** No special measures required.

· **After inhalation** Supply fresh air; consult doctor in case of complaints.

· **After skin contact** Immediately wash with water and soap and rinse thoroughly.

· **After eye contact** Rinse opened eye for several minutes under running water.

· **After swallowing**

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

· **Information for doctor**

· **Most important symptoms and effects, both acute and delayed**

No further relevant information available.

· **Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

### 5 Fire-fighting measures

· **Extinguishing media**

· **Suitable extinguishing agents**

CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· **Special hazards arising from the substance or mixture** No further relevant information available.

· **Advice for firefighters**

· **Protective equipment:** No special measures required.

· **Additional information** -

### 6 Accidental release measures

· **Personal precautions, protective equipment and emergency procedures** Not required.

· **Environmental precautions:** No special measures required.

· **Methods and material for containment and cleaning up:** Pick up mechanically.

· **Reference to other sections**

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

(Contd. on page 3)

USA

**Safety Data Sheet  
acc. to OSHA HCS**

Printing date 12/10/2015

Reviewed on 12/10/2015

**Trade name: Flexitime Xtreme 2 Heavy Tray / Dynamix Heavy Tray / Correct Flow**

(Contd. of page 2)

### 7 Handling and storage

- **Handling**
  - **Precautions for safe handling** No special measures required.
  - **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
  - **Storage**
    - **Requirements to be met by storerooms and receptacles:** No special requirements.
    - **Information about storage in one common storage facility:** Not required.
    - **Further information about storage conditions:** None.
- **Specific end use(s)** No further relevant information available.

### 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**
  - **Components with limit values that require monitoring at the workplace:**  
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
    - **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
  - **Personal protective equipment**
    - **General protective and hygienic measures**  
The usual precautionary measures for handling chemicals should be followed.
    - **Breathing equipment:** Not required.
    - **Protection of hands:** recommended
      - **Penetration time of glove material**  
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
      - **For the permanent contact in work areas without heightened risk of injury (e.g. Laboratory) gloves made of the following material are suitable:**  
Butyl rubber, BR  
Nitrile rubber, NBR  
Fluorocarbon rubber (Viton)  
Chloroprene rubber, CR
    - **Eye protection:** Protective goggles are recommended.
    - **Body protection:** Light weight protective clothing

### 9 Physical and chemical properties

- **Information on basic physical and chemical properties**
  - **General Information**
    - **Appearance:**
    - **Form:** Pasty

(Contd. on page 4)

USA

**Safety Data Sheet  
acc. to OSHA HCS**

Printing date 12/10/2015

Reviewed on 12/10/2015

**Trade name: Flexitime Xtreme 2 Heavy Tray / Dynamix Heavy Tray / Correct Flow**

(Contd. of page 3)

· <b>Color:</b>	Different according to coloring
· <b>Odor:</b>	Fruit-like
· <b>Odour threshold:</b>	Not determined.
· <b>pH-value:</b>	Not determined.
· <b>Change in condition</b>	
· <b>Melting point/Melting range:</b>	undetermined
· <b>Boiling point/Boiling range:</b>	undetermined
· <b>Flash point:</b>	Not applicable
· <b>Flammability (solid, gaseous)</b>	Not applicable.
· <b>Ignition temperature:</b>	
· <b>Decomposition temperature:</b>	Not determined.
· <b>Auto igniting:</b>	Product is not selfigniting.
· <b>Danger of explosion:</b>	Product does not present an explosion hazard.
· <b>Explosion limits:</b>	
· <b>Lower:</b>	Not determined.
· <b>Upper:</b>	Not determined.
· <b>Vapor pressure:</b>	Not determined.
· <b>Density at 20 °C (68 °F):</b>	1,24 - 1,56 g/cm <sup>3</sup> (10.348 - 13.018 lbs/gal)
· <b>Relative density</b>	Not determined.
· <b>Vapour density</b>	Not determined.
· <b>Evaporation rate</b>	Not determined.
· <b>Solubility in / Miscibility with</b>	
· <b>Water:</b>	Not miscible or difficult to mix
· <b>Partition coefficient (n-octanol/water):</b>	Not determined.
· <b>Viscosity:</b>	
· <b>dynamic:</b>	Not determined.
· <b>kinematic at 20 °C (68 °F):</b>	24 - 125 Pa s
· <b>Other information</b>	No further relevant information available.

**10 Stability and reactivity**

- **Reactivity** No further relevant information available.
- **Possibility of hazardous reactions** No dangerous reactions known
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** none
- **Additional information:** -

USA

(Contd. on page 5)

**Safety Data Sheet  
acc. to OSHA HCS**

Printing date 12/10/2015

Reviewed on 12/10/2015

**Trade name: Flexitime Xtreme 2 Heavy Tray / Dynamix Heavy Tray / Correct Flow**

(Contd. of page 4)

**11 Toxicological information**

· **Information on toxicological effects**

· **Acute toxicity:**

· **Primary irritant effect:**

· **on the skin:** Based on available data, the classification criteria are not met.

· **on the eye:** Based on available data, the classification criteria are not met.

· **Sensitization:** Based on available data, the classification criteria are not met.

· **Additional toxicological information:**

The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

· **NTP (National Toxicology Program)**

None of the ingredients is listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

**12 Ecological information**

· **Toxicity**

· **Aquatic toxicity:** No further relevant information available.

· **Persistence and degradability** No further relevant information available.

· **Behavior in environmental systems:**

· **Bioaccumulative potential** No further relevant information available.

· **Mobility in soil** No further relevant information available.

· **Additional ecological information:**

· **General notes:**

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· **Other adverse effects** No further relevant information available.

**13 Disposal considerations**

· **Waste treatment methods**

· **Recommendation** Smaller quantities can be disposed of with household waste.

(Contd. on page 6)

**Safety Data Sheet  
acc. to OSHA HCS**

Printing date 12/10/2015

Reviewed on 12/10/2015

**Trade name: Flexitime Xtreme 2 Heavy Tray / Dynamix Heavy Tray / Correct Flow**

(Contd. of page 5)

- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

**14 Transport information**

· <b>UN-Number</b> · DOT, ADR, ADN, IMDG, IATA	Void
· <b>UN proper shipping name</b> · DOT, ADR, ADN, IMDG, IATA	Void
· <b>Transport hazard class(es)</b> · DOT, ADR, ADN, IMDG, IATA · Class	Void
· <b>Packing group</b> · DOT, ADR, IMDG, IATA	Void
· <b>Environmental hazards:</b> · Marine pollutant:	No
· <b>Special precautions for user</b>	Not applicable.
· <b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b>	Not applicable.
· <b>Transport/Additional information:</b>	-
· <b>UN "Model Regulation":</b>	Void

**15 Regulatory information**

· <b>Safety, health and environmental regulations/legislation specific for the substance or mixture</b>
· <b>SARA Section 355 (extremely hazardous substances)</b>
None of the ingredients is listed.
· <b>TSCA (Toxic Substances Control Act)</b> None of the ingredients is listed. Medical devices are exempted from TSCA.
· <b>Cancerogenity categories</b>
· <b>TLV (Threshold Limit Value established by ACGIH)</b>
None of the ingredients is listed.
· <b>GHS label elements</b> The product is classified and labeled according to the Globally Harmonized System (GHS).
· <b>Hazard pictograms</b> Void
· <b>Signal word</b> Warning
· <b>Hazard statements</b> Combustible liquid.
· <b>Precautionary statements</b> Keep away from flames and hot surfaces. – No smoking.

(Contd. on page 7)

**Safety Data Sheet  
acc. to OSHA HCS**

Printing date 12/10/2015

Reviewed on 12/10/2015

**Trade name: Flexitime Xtreme 2 Heavy Tray / Dynamix Heavy Tray / Correct Flow**

(Contd. of page 6)

Wear protective gloves / eye protection / face protection.

In case of fire: Use for extinction: CO<sub>2</sub>, powder or water spray.

Store in a well-ventilated place. Keep cool.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

**16 Other information**

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**

H227 Combustible liquid.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

- **Date of preparation / last revision** 12/10/2015 / -

- **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 4: Flammable liquids, Hazard Category 4

Acute Tox. 4: Acute toxicity, Hazard Category 4

Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A

- **\* Data compared to the previous version altered.**