Safety Data Sheet

Trade Name: *PerioCare*

1.0	Commercial Product Name and Supplier		
1.1	Commercial product name / designation	PerioCare	
1.2	Application / Use	Periodontal dressing	
1.2.2	SIC	851 Human health activity	
1.2.3	Use Category	55	
1.3	Manufacturer		
	Pulpdent Corporation 80 Oakland Street Watertown, MA 02472 USA	Telephone: 1 617 926-6666 Fax: 1 617 926-6262	
1.4	Emergency Telephone Number	Email: Pulpdent@pulpdent.com 1-800-535-5053 (24 Hour / USA)	
1.5	Authorized European Representative International Business Solutions Ltd. 54 Mayfield Ridge, Hatch Warren Basingstoke, RG22 4RS UK	Tel: 07989 407479 / Fax: 01256 350330 Email: s.williams5@btconnect.com	
2.0	Hazards Identification		
2.1	Classification		
2.1.1	Classification according to Regulation (EC) No. 1272/2008 [CLP] Not hazardous		
2.1.2	Classification according to Directive 67/548/EEC Not hazardous		
2.2	GHS Label Elements		
	Restricted to use by dental professional only		
3.0	Composition		
3.1	Chemical characterization of the preparation	~	
		Gel: Rosins suspended in fatty acid.	
3.2	Hazardous Ingredients	None in this formulation	
4.0	First Aid Measures		
4.1	General Information	Non-hazardous material	
		Material may cause mild, mechanical eye irritation. Show this safety data sheet to medical personnel. Get medical attention in case of uncertainty.	
4.2	Inhalation	Move person to fresh air. If effects occur, seek medical attention.	
4.3	Skin Contact	Wash skin thoroughly with soap and water.	
4.4	Eye Contact	Keep eyelids apart, flush with running water for 15+ minutes. Remove contact lenses after several minutes.	
4.5	Ingestion	Non-toxic	
4.6 4.7	Precautions for first responders Information for physicians	Wear safety glasses and gloves.	
	Symptoms	Mild irritation/redness in eyes.	
	Hazards	Mild, mechanical eye irritation	

Safety Data Sheet

Trade Name: *PerioCare*

5.0	Fire Fighting Measures	
5.1	Suitable extinguishing media	Whatever is appropriate for surrounding fire
5.2	Extinguishing media to avoid	Decision should be based on surrounding fire.
5.3	Special exposure hazards in a fire	None
5.4	Special protective equipment for fire-fighters	Usual protective equipment is sufficient.
6.0	Accidental Release Measures	
6.1	Personal precautions.	Wear safety glasses, gloves, and lab coat.
6.2	Environmental precautions	Follow all government regulations.
6.3	Method for clean up	Wipe up spill with suitable material (paper towels or disposable cloths). Collect for disposal in a covered container. Wash area of spill with soap and water.
7.0	Handling and Storage	
7.1	Handling	For use only by trained dental professionals. Follow good hygiene practices. Do not smoke, eat or drink while using.
7.2	Storage	Keep containers closed. Store product in original containers at cool room temperature (< 25°C). Shelf life for unopened product is two years from date of manufacture, provided proper storage.
7.3	Specific uses	Periodontal dressing
8.0	Exposure Controls / Personal Protection	
8.1	Exposure limit values	PEL: Not established. TLV: Not established.
8.2	Exposure controls	
8.2.1	Occupational exposure controls	No special equipment required.
8.2.1.1	Respiratory protection	None required under normal conditions of use
8.2.1.2	Hand protection	No special requirements under normal conditions of use.
8.2.1.3	Eye protection	Safety glasses
8.2.1.4	Skin protection	Good personal hygiene, lab coat and gloves. Wash hands after use.
8.2.1.5	Other controls	Emergency eye wash fountain close by.
8.2.2	Environmental exposure controls	Follow all government regulations.
9.0	Physical and Chemical Properties	
9.1	Appearance / Color	
9.1.1	Color	Paste: Thick, pink paste; Gel: Thick, yellow-tinted gel.
9.1.2	Odor	Characteristic
9.2	Important health, safety and environmental information	
9.2.1	рН	Not determined
9.2.2	Boiling point	Not determined
9.2.2 9.2.3	Boiling point Flash point	Not determined Not applicable

Revision Date: February 1, 2014

Safety Data Sheet

Trade Name: <i>PerioCare</i>				
9.2.4	Flammability (solid, gas)	Not applicable		
9.2.5	Explosive properties	Not applicable		
9.2.6	Oxidizing properties	Not applicable		
9.2.7	Vapor pressure	Not determined		
9.2.8	Specific gravity	Paste: 1.90; Gel: 1.05		
9.2.9	Solubility in water	Slight		
9.2.10	Partition coefficient	Not determined		
9.2.11	Viscosity	Not determined		
9.2.12	Vapor density	Not determined		
9.2.13	Evaporation rate	Nil		
10.0	Stability and reactivity			
10.1	Conditions to avoid	None known		
10.2	Materials to avoid	None known		
10.3	Hazardous decomposition products	None		
10.4	Further information	Stable material		
11.0	Toxicological information			
11.1	Acute toxicity	Not toxic.		
	Addic toxicity	NOT TOXIC.		
11.2	Irritation and corrosiveness	May be irritating to eyes on contact.		
	·			
11.2	Irritation and corrosiveness	May be irritating to eyes on contact.		
11.2 11.3	Irritation and corrosiveness Sensitization	May be irritating to eyes on contact. Not applicable		
11.2 11.3 11.4	Irritation and corrosiveness Sensitization Sub-acute, sub-chronic and prolonged toxicity	May be irritating to eyes on contact. Not applicable None known		
11.2 11.3 11.4 11.5	Irritation and corrosiveness Sensitization Sub-acute, sub-chronic and prolonged toxicity Carcinogenicity, Mutagenicity, Reproductive Toxicity	May be irritating to eyes on contact. Not applicable None known None known		
11.2 11.3 11.4 11.5 11.6	Irritation and corrosiveness Sensitization Sub-acute, sub-chronic and prolonged toxicity Carcinogenicity, Mutagenicity, Reproductive Toxicity Empirical data	May be irritating to eyes on contact. Not applicable None known None known Not available PerioCare has been used safely and effectively for post-surgical tissue management for more than 30 years. No reports of device failure, allergic		
11.2 11.3 11.4 11.5 11.6 11.7	Irritation and corrosiveness Sensitization Sub-acute, sub-chronic and prolonged toxicity Carcinogenicity, Mutagenicity, Reproductive Toxicity Empirical data Clinical experience	May be irritating to eyes on contact. Not applicable None known None known Not available PerioCare has been used safely and effectively for post-surgical tissue management for more than 30 years. No reports of device failure, allergic		
11.2 11.3 11.4 11.5 11.6 11.7	Irritation and corrosiveness Sensitization Sub-acute, sub-chronic and prolonged toxicity Carcinogenicity, Mutagenicity, Reproductive Toxicity Empirical data Clinical experience Ecological Information	May be irritating to eyes on contact. Not applicable None known None known Not available PerioCare has been used safely and effectively for post-surgical tissue management for more than 30 years. No reports of device failure, allergic reaction or deterioration of the soft tissue under the dressing.		
11.2 11.3 11.4 11.5 11.6 11.7	Irritation and corrosiveness Sensitization Sub-acute, sub-chronic and prolonged toxicity Carcinogenicity, Mutagenicity, Reproductive Toxicity Empirical data Clinical experience Ecological Information Ecotoxicity	May be irritating to eyes on contact. Not applicable None known None known Not available PerioCare has been used safely and effectively for post-surgical tissue management for more than 30 years. No reports of device failure, allergic reaction or deterioration of the soft tissue under the dressing.		
11.2 11.3 11.4 11.5 11.6 11.7 12.0 12.1 13.0	Irritation and corrosiveness Sensitization Sub-acute, sub-chronic and prolonged toxicity Carcinogenicity, Mutagenicity, Reproductive Toxicity Empirical data Clinical experience Ecological Information Ecotoxicity Disposal Considerations	May be irritating to eyes on contact. Not applicable None known None known Not available PerioCare has been used safely and effectively for post-surgical tissue management for more than 30 years. No reports of device failure, allergic reaction or deterioration of the soft tissue under the dressing Not toxic. Follow all government regulations.		
11.2 11.3 11.4 11.5 11.6 11.7 12.0 12.1 13.0	Irritation and corrosiveness Sensitization Sub-acute, sub-chronic and prolonged toxicity Carcinogenicity, Mutagenicity, Reproductive Toxicity Empirical data Clinical experience Ecological Information Ecotoxicity Disposal Considerations Regulations	May be irritating to eyes on contact. Not applicable None known None known Not available PerioCare has been used safely and effectively for post-surgical tissue management for more than 30 years. No reports of device failure, allergic reaction or deterioration of the soft tissue under the dressing Not toxic. Follow all government regulations.		
11.2 11.3 11.4 11.5 11.6 11.7 12.0 12.1 13.0 13.1 14.0	Irritation and corrosiveness Sensitization Sub-acute, sub-chronic and prolonged toxicity Carcinogenicity, Mutagenicity, Reproductive Toxicity Empirical data Clinical experience Ecological Information Ecotoxicity Disposal Considerations Regulations Transport Information	May be irritating to eyes on contact. Not applicable None known None known Not available PerioCare has been used safely and effectively for post-surgical tissue management for more than 30 years. No reports of device failure, allergic reaction or deterioration of the soft tissue under the dressing Not toxic. Follow all government regulations. Follow all local and national government regulations.		
11.2 11.3 11.4 11.5 11.6 11.7 12.0 12.1 13.0 13.1 14.0	Irritation and corrosiveness Sensitization Sub-acute, sub-chronic and prolonged toxicity Carcinogenicity, Mutagenicity, Reproductive Toxicity Empirical data Clinical experience Ecological Information Ecotoxicity Disposal Considerations Regulations Transport Information Restrictions	May be irritating to eyes on contact. Not applicable None known None known Not available PerioCare has been used safely and effectively for post-surgical tissue management for more than 30 years. No reports of device failure, allergic reaction or deterioration of the soft tissue under the dressing Not toxic. Follow all government regulations. Follow all local and national government regulations.		
11.2 11.3 11.4 11.5 11.6 11.7 12.0 12.1 13.0 13.1 14.0 14.1 15.0	Irritation and corrosiveness Sensitization Sub-acute, sub-chronic and prolonged toxicity Carcinogenicity, Mutagenicity, Reproductive Toxicity Empirical data Clinical experience Ecological Information Ecotoxicity Disposal Considerations Regulations Transport Information Restrictions Regulatory Information	May be irritating to eyes on contact. Not applicable None known Not available PerioCare has been used safely and effectively for post-surgical tissue management for more than 30 years. No reports of device failure, allergic reaction or deterioration of the soft tissue under the dressing Not toxic. Follow all government regulations. Follow all local and national government regulations. Non-hazardous material / Not regulated.		

Safety Data Sheet

Trade Name: *PerioCare*

16.0	Other information	
16.1	List of relevant R phrases	None
16.2	Hazard Statements	None
16.3	Precautionary Statements	
16.4	Restrictions on use	Pulpdent products are for use by dental professionals only.
16.5	Further information	The information presented herein is believed to be factual as it has been derived from the works of persons believed to be qualified experts. However, nothing contained in this information is to be taken as a warranty or representation for which Pulpdent Corporation bears legal responsibility. The user should review any recommendations in the specific context of the intended use to determine whether they are appropriate.
16.6	Sources of key data	National Institute for Occupational Safety (NIOSH) US Occupational Safety and Health Administration (OSHA) Eur-Lex European Union Law: Regulation (EC) No. 1272/2008 (CLP) and Regulation (EC) No. 1907/2006 (REACH). Guidance on the compilation of safety data sheets. Version 1.1; December 2011. European Chemicals Agency
16.7	Information which has been added, deleted or revised.	This Safety Data Sheet has been revised to meet the requirements of the GHS SDS format and Regulations (EC) No. 1272/2008 (CLP) and (EC) No. 1907/2006 (REACH). Specifically, Sections 2.1, 2.2, 3.2, 16.2, 16.3 have been modified.

Revision Date: February 1, 2014