

MATERIAL SAFETY DATA SHEET

SECTION 1 - CHEMICAL PRODUCT & COMPANY IDENTIFICATION

Pfizer Consumer Healthcare

Pfizer Inc

Emergency telephone

(973) 385-2000

Hours of operation

24 hours

201 Tabor Road

Morris Plains, New Jersey 07950

Trade names

LISTERINE®

Product name

Listerine® Antiseptic-Coolmint

Therapeutic use

Prevention of plaque, gingivitis and bad breath

Description

Blue Liquid

SECTION 2 - COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	CAS Number	<u>Amount</u>
Thymol*	89-83-8	0.064%
Eucalyptol	470-82-6	0.092%
Methyl salicylate	119-36-8	0.060%
Menthol*	89-78-1	0.042%
Deionized water	7732-18-5	>50%
Ethanol*	64-17-5	21.6%
Sorbitol solution	50-70-4	Proprietary
Flavor	Not assigned	Proprietary
Poloxamer 407	9003-11-6	Proprietary
Benzoic Acid*	65-85-0	Proprietary
Sodium saccharin USP*	128-44-9	Proprietary
Sodium benzoate	532-32-1	Proprietary
FD&C Green No. 3*	2353-45-9	Proprietary

^{*}Hazardous

Note:

Ingredient(s) indicated as hazardous have been assessed under US OSHA

Hazard Communication Standard for workplace safety (29 CFR

1910.1200).

SECTION 3 - HAZARDS IDENTIFICATION

Signal word

CAUTION!

SECTION 3 - HAZARDS IDENTIFICATION ... continued

Statements of hazard

FLAMMABLE!

MAY CAUSE EYE AND RESPIRATORY TRACT IRRITATION.

THIS PRODUCT CONTAINS ETHANOL WHICH CAN CAUSE LIVER CHANGES, CENTRAL NERVOUS SYSTEM EFFECTS, AND BIRTH DEFECTS IN THE DEVELOPING FETUS.

Eye effects

May cause eye irritation.

Skin effects

Not a skin irritant.

Inhalation effects

May cause respiratory tract irritation. Exposure to high concentrations may cause irritation, headache, drowsiness and symptoms of drunkenness. An Occupational Exposure Limit has been established for one or more of

the ingredients (see Section 8).

Ingestion effects

Ingestion of large quantities may cause may cause headache, dizziness, nausea, vomiting, diarrhea, dehydration, and symptoms of drunkenness. See 'Statements of hazard' and/or 'Other potential health effects' in this

section.

Other potential health

effects

Chronic ingestion of ethanol has been associated with an increased incidence of cancer, liver cirrhosis, and congenital malformations.

Additional data

For a more detailed discussion of potential health hazards and toxicity see Section 11.

NOTE:

This document has been prepared in accordance with the US OSHA Hazard Communication Standard, which requires the inclusion of all known hazards of the product or its ingredients regardless of the potential risk. The precautionary statements and warnings included may not apply in all cases. Your needs may vary depending upon the potential for exposure in your workplace. If your workplace is regulated by OSHA, this document must be used as a part of a complete hazard-training program.

SECTION 4 - FIRST AID MEASURES

Eyes Immediately flush eyes with water for at least 15 minutes. If irritation

occurs or persists, get medical attention.

Remove clothing and wash affected skin with soap and water. If irritation Skin

occurs or persists, get medical attention.

Remove to fresh air. If discomfort persists, get medical attention. Inhalation

Do not induce vomiting unless directed by medical personnel. Never give Ingestion

anything by mouth to an unconscious person. Seek medical assistance if

symptoms occur or persist.

WL018 - Listerine® Antiseptic-Coolmint Revision date: 08/21/01, Version: 1.0.0

Pfizer Inc.

SECTION 5 - FIRE FIGHTING MEASURES

General hazard Flammable Vapors are heavier than air and can travel to a source of

ignition and flash back. Vapors may form explosive mixture with air.

Fire fighting instructions Wear approved positive pressure, self-contained breathing apparatus and

full protective turn out gear.

Extinguishing media Use carbon dioxide, sand, extinguishing powder. Do not use water.

Flash point $33^{\circ}\text{C} (<100^{\circ}\text{F})$

Hazardous combustion Emits

products

Emits fumes of carbon dioxide, nitrogen oxides, and hydrogen cyanide.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

General Review Sections 3, 8 and 12 before proceeding with clean up.

Small spill Use non-combustible absorbent material to wipe up spill and place in a

sealed container for disposal. Clean spill area thoroughly.

Large spill Contain the source of the spill or leak if it is safe to do so. Collect spill

with a non-combustible absorbent material and transfer to labeled

container for disposal. Close container and move it to a secure holding area.

SECTION 7 - HANDLING AND STORAGE

General handling Keep away from heat. Use with adequate ventilation. Avoid contact with

eyes, skin and clothing. Avoid contact with skin and clothing. Avoid

breathing vapor or mist.

Storage conditions Keep container tightly closed when not in use. Store in a cool, dry area.

Keep away from heat, sparks, flame, and other sources of ignition.

Temperature range

for storage

Store as directed by product packaging.

SECTION 8 - EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure limits

 $\begin{array}{cccc} \underline{\text{Compound}} & \underline{\text{Issuer}} & \underline{\text{Type}} & \underline{\text{OEL}} \\ \text{Ethanol} & \text{ACGIH} & \text{TWA-8 Hr} & 1000 \text{ ppm} \end{array}$

OSHA TWA-8 Hr 1000 ppm

Ventilation Keep airborne contamination levels below the exposure limits listed above

in this section. Engineering controls should be used as the primary means

to control exposures.

SECTION 8 - EXPOSURE CONTROLS/PERSONAL PROTECTION ... continued

Eye protection Not required for the normal use of this product. Wear safety glasses or

goggles if eye contact is possible.

Skin protection Not required for the normal use of this product. Use protective clothing

(lab coats, disposable coveralls, etc.) in both production and laboratory

areas.

Hand protection Not required for the normal use of this product. Wear protective gloves

when working with large quantities.

Respiratory protection Not required for the normal use of this product. If the applicable

Occupational Exposure Limit (OEL) is exceeded, wear an appropriate respirator with a protection factor sufficient to control exposures to below

the OEL.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Physical form Liquid

Color Blue

Molecular weight Mixture

Molecular formula Mixture

pH 4.2 at 20°C

Melting point Not applicable

Water solubility Soluble

Solvent solubility Soluble in alcohol

SECTION 10 - STABILITY AND REACTIVITY

Reactivity Stable

Conditions to avoid Avoid direct sunlight, conditions that might generate heat, and sources of

ignition.

Incompatibilities None known.

Hazardous decomposition products None known

Hazardous

Not expected to occur

polymerization

SECTION 11 - TOXICOLOGY INFORMATION

Toxicology summary	The information included in this section describes the potential hazards of
	the individual ingredients.

A	c	11	te	to	хi	ci	tν
~	·	u	ιc	w	A.	Ç.	L.Y

Compound	<u>Type</u>	Route	<u>Species</u>	<u>Dosage</u>
Ethanol	$\overline{\text{LD}_{50}}$	Oral	Rat	7,060 mg/kg
2000	LC ₅₀ 10h	Inhalation	Rat	20,000 ppm
Benzoic Acid	LD ₅₀	Oral	Rat	2350 mg/kg
Sodium benzoate	LD_{50}	Oral	Rat	4,070 mg/kg
Bodium conzone	LD50	Oral	Mouse	1,600 mg/kg

Not determined for this product. May cause moderate eye irritation based Eye

on components.

Not expected to cause skin irritation Skin

Not determined for this product. However, moderate irritation may occur Inhalation

based on effects of individual components.

Not determined for this product. See Acute toxicity table. Ingestion

Not determined for this product. Mutagenicity Not determined for this product. Subchronic effects

Chronic ingestion of ethanol has been reported to be associated with an Chronic toxicity

increased incidence of cancer, liver cirrhosis, and congenital

malformations. However, occupational handling of this product is not

expected to result in relevant exposures.

IARC (International Agency for Research on Cancer) has classified Chronic effects/ Alcoholic Beverages as Group 1 (carcinogenic to humans). However, carcinogenicity

occupational handling of this product is not expected to result in relevant

exposures.

Carcinogenicity of the mixture has not been determined. Alcohol is listed Carcinogen status

as a carcinogen by IARC. The IARC monograph examines the

carcinogenic potential of ethanol only as an alcoholic beverage. No other components are listed as carcinogens by IARC, US OSHA or NTP.

Not determined for this product. Reproductive effects

Not determined for this product. Developmental effects have been reported Teratogenicity

in humans and experimental animals given large doses of ethanol.

However, occupational handling of this product is not expected to result in

relevant exposures.

Liver, Central nervous system Target organs

SECTION 12 - ECOLOGICAL INFORMATION

Environmental overview

The environmental characteristics of this material have not been fully evaluated. Releases to the environment should be avoided.

SECTION 13 - DISPOSAL INFORMATION

Disposal procedure

Waste materials may be classified as hazardous due to the low flash point. Treatment, storage, transportation and disposal must be in accordance with applicable national and local regulations.

SECTION 14 - TRANSPORTATION INFORMATION

General shipping instructions

Aqueous products containing ethanol at 24 percent or less are not subject to the requirements of the EU ADR, IATA, or IMDG. They are similarly exempt from US DOT requirements provided that they contain no less than 50 percent water.

SECTION 15 - REGULATORY INFORMATION

EU Classification

Irritant

EU Labelling

Xi

Risk phrases

R10 - Flammable.

R36 - Irritating to eyes.

Safety phrases

S26 - In case of contact with eyes, rinse immediately with plenty of water

and seek medical advice.

S36 - Wear suitable protective clothing.

Canadian WHMIS

Class B, Division 2 (flammable liquid) Class D, Division 2, Subdivision B

EU Label Pictogram(s)



SECTION 16 - OTHER

Disclaimer

The information contained in this Material Safety Data Sheet is believed to be accurate, and while it is provided in good faith, it is without a warranty of any kind, express or implied.